

Agenda Item:	III D: Action Item
Date:	January 19, 2023
To:	Magnolia Educational & Research Foundation dba Magnolia Public Schools (“MPS”) Board of Directors (the “Board”)
From:	Alfredo Rubalcava, CEO & Superintendent
Staff Lead(s):	Suat Acar, Chief Operations Officer Zekeriya Ocel, Principal of Magnolia Science Academy-3 Rasul Monoshev, MPS IT Director
RE:	Magnolia Science Academy – 3 Surveillance Cameras’ Installation: Procedures & Design

**Action Proposed:**

I move that MPS Board of Directors approve the proposed Magnolia Science Academy- 3 Surveillance Cameras’ Installation: Procedures and Design.

**Purpose:**

- What services are being provided?
  - Magnolia Science Academy-3 (MSA 3) is requesting the MPS Board approve the attached designs for surveillance cameras for the shared spaces under the control of MSA 3 within the Curtiss Middle School Campus.
- Why is this Installation needed?
  - The main reason behind this request centers around the school safety and due process transparency. We want to ensure that if an allegation arises involving a student and a student, or a student and an adult that requires investigation, that all parties are on the same page about what physically transpired. Specifically, the following concerns support the use of cameras in MSA 3’s classrooms and outdoor areas:
    - Student/ Staff Safety Concerns
      - Student vs. Student: Scenario - Dangerous Object
        - If a student is accused of pointing a dangerous object at another student, we want to ensure that all parties can view the footage from the same vantage point, during school mediation and should litigation require such a process to occur. This will help strengthen the case of the truth and will simultaneously take away the possibility of credibility of witness statements being brought into question in cases of physical safety concerns.
      - Student vs. Student - Intimidation of Witness/Bullying
        - In cases of alleged bullying where no additional witnesses come forward due to fear of retaliation by an alleged perpetrator, it is helpful to view transparent footage clearly demonstrating if both sides are mutually physically harassing each other, or if the interaction is one-sided from the bully to the victim
      - Student vs. Staff: Scenario - Corporal Punishment
        - If a physical allegation such as corporal punishment is made against an adult, we want to also ensure that all parties can view

the actual events which transpired without having to question the interpretation or degree of honesty in witness statements. From the student end, if a student feels that a staff member used corporal punishment against them, the cameras can show this occurred. On the other hand, when staff are concerned that students may make up a false allegation against them regarding corporal punishment, then the truth about the innocence of the staff member will be indisputable upon viewing the footage.

- Is this a school or organization-wide implementation?
  - Currently, MSA 3 is requesting that the provided plans and designs to be approved by the MPS board so for the purposes of supporting MSA 3's expressed intent to have a schoolwide implementation, including all outdoor areas, hallways and classrooms.

### **Background:**

- What contracts are already in place?
  - As a co-located LAUSD site, this project will be planned, designed under the authority and the supervision of the LAUSD Facilities and contract departments
  - After the ongoing meetings, and LAUSD Staff visits to calculate the cost of this project, the billing amount has been set forth by the LAUSD is \$93,227.19.

### **Analysis:**

- Were any RFPs done?
  - No. The LAUSD runs the project for MSA 3. We just pay the LAUSD.
- What negotiations were made?
  - None. We must accept the price quote set forth by the LAUSD.
- What is the research/comparison data?
  - School districts across the nation have policies which support the use of video surveillance cameras in classrooms and other areas of campus. The LAUSD co-located Curtiss site already has surveillance cameras across the campus. By the help of this project the MSA 3 will have access and administrative privileges to the areas assigned to it under the Prop 39 shared usage agreement.

### **Impact:**

With the approval of the proposed surveillance cameras' installation, the MSA 3 expects increased security in the campus and enhanced implementation of the discipline policies and procedures.

### **Budget Implications:**

The proposed LAUSD plan for design and installation of this project is \$93,227.19. The MSA 3 has its own reserves/operational net income for 2022-23 to cover this expense




**Exhibits:**

Appendix 1: The design map

Appendix 2: The LAUSD Quote.

# MAGNOLIA CHARTER AT CURTIS MS CCTV DESIGN



Camera ID	Building	Floor	Install Type	Mount Type *	Mount Hgt	Notes	Field of view	Model Number
01	Shop Bldg	N/A	Exterior	Wall	16 - 20 ft		180°	AXIS P3818-P/E
02	DSA Bldg 4	N/A	Exterior	Corner	16 - 20 ft		360°	AXIS P3719-P/E
03	Shop Bldg	N/A	Exterior	Corner	16 - 20 ft		360°	AXIS P3719-P/E
04	Cafeteria Bldg	N/A	Exterior	Corner	16 - 20 ft		360°	AXIS P3719-P/E
05	PE Bldg	N/A	Exterior	Corner	16 - 20 ft		360°	AXIS P3719-P/E
06	PE Bldg	N/A	Exterior	Corner	16 - 20 ft		360°	AXIS P3719-P/E
07	Shop Bldg	N/A	Exterior	Corner	16 - 20 ft		360°	AXIS P3719-P/E
Total								
							6	AXIS P3719-P/E
							1	AXIS P3818-P/E
Total Cameras							7	

Magnolia Charter at Curtiss MS 1254 E HELMICK ST, CARSON, CA 90746 Site: System ID: GSC-200930-543809									
Part Number	Product Description	Manufacture	MSRP (USD)	Discount	Price (USD)	Quantity	Extended	Taxable	Contract Section
SVW-304E-SF1S1000-17	Streamvault™ 304E Series - 1-Bay SFF Workstation 1x NVIDIA Quadro 1000 Series GPU 1x Core i7-11700 16GB 1x 256GB M.2 SSD 1x 1TB SATA 1x 1GbE RJ45 1x 300W PSU Windows 10 Embedded 5YR NBD KYHD Warranty - Genetec™ Security Center pre-installed.	Genetec	\$ 3,410.00	23%	\$ 2,625.70	2	\$ 5,251.40	Y	II-A
GSC-Om-P-1C	1 camera connection	Genetec	\$ 230.00	23%	\$ 177.10	7	\$ 1,239.70	N	II-C
ADV-CAM-P-5Y	GENETEC, Advantage for 1 Omnicast Pro Camera - 5 years	Genetec	\$ 144.00	23%	\$ 110.88	7	\$ 776.16	N	II-C
02218-001	AXIS 4 ELEMENT 360 AXIS P3727-PLE	Axis	\$ 1,449.00	24%	\$ 1,100.95	6	\$ 6,605.70	Y	II-A
02060-001	AXIS P3818-PVE 4 Element 180	Axis	\$ 1,349.00	24%	\$ 1,024.97	1	\$ 1,024.97	Y	II-A
01513-001	AXIS T94N01D PENDANT KIT for P3719-PLE and P3727-PLE	Axis	\$ 99.00	24%	\$ 75.22	6	\$ 451.32	Y	II-A
5506-481	AXIS T91E61 Wall Mount 1.5' NPS Small Arm Mount	Axis	\$ 49.00	24%	\$ 37.23	6	\$ 223.38	Y	II-A
5507-601	AXIS T94R01B CORNER BRACKET for smaller arm mounts	Axis	\$ 69.00	24%	\$ 52.43	6	\$ 314.56	Y	II-A
							Sub-Tot HW/SW	\$ 15,887.19	
	DOAB Installation, Configuration, and Training Services							\$ 21,840.00	
	CSIB Infrastructure and Camera Mounting Labor							\$ 55,500.00	
							Grant Total Estimate	\$ 93,227.19	

YES. Please proceed with the Job

USE THE FUNDING:

SAP Fund	Requesting Cost Center	Functional Area	WBS Element (Level 4)

Area Fiscal Specialist Name: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

NO. Please do not proceed with the Job

NAME \_\_\_\_\_

TITLE \_\_\_\_\_

SIGNATURE \_\_\_\_\_

Date: \_\_\_\_\_